

# Homework for “Algorithms For Big Data Analysis”

Zaiwen Wen

Beijing International Center for Mathematical Research

Peking University

February 28, 2022

## 1 Submission Requirement

1. Prepare a report including
  - detailed answers to each question
  - numerical results and their interpretation
2. The programming language can be either matlab, Python or c/c++.
3. Pack all of your codes named as "svd-ID-name.zip" and send it to TA: pkuopt@163.com  
作业提交需要统一打包成压缩文件，命名格式为：svd-学号-姓名，文件类型随意。文件名中不要出现空格，最好不要出现中文。
4. 请勿大量将代码粘在报告中，涉及到实际结果需要打表或者作图，不要截图或者直接从命令行拷贝结果。
5. 提交word的同学需要提供word原文件并将其转换成pdf文件。
6. If you get significant help from others on one routine, write down the source of references at the beginning of this routine.

## 2 Randomized Singular Value Decomposition Algorithms

Given a matrix  $A \in \mathbb{R}^{m \times n}$ , compute  $p$ -largest singular values and their corresponding left and right singular vectors.

1. Write down and implement one of the algorithms in (extra credit for choosing both algorithms)
  - LinearTimeSVD Algorithm on page 166 of “Petros Drineas, Ravi Kannan, and Michael W. Mahoney, Fast Monte Carlo Algorithms for Matrices II: Computing a Low-Rank Approximation to a Matrix, SIAM J. Comput., 36(1), 158183”
  - Prototype for Randomized SVD on page 227 of “N. Halko, P. G. Martinsson, and J. A. Tropp, Finding Structure with Randomness: Probabilistic Algorithms for Constructing Approximate Matrix Decompositions,SIAM Rev., 53(2), 217288. ”

2. Compute  $r \in \{5, 10, 15, 20\}$  largest singular values and their corresponding singular vectors on the following two examples.

- A random matrix  $A$  generated as follows:

```
m = 2048;  
n = 512;  
p = 20;  
A = randn(m, p) * randn(p, n);
```

- Pick one of your favorite images. The smallest dimension of the image should be at least 1000. Suppose that the file name of the image is “peppers.png”. The following matlab codes construct a matrix  $A$ .

```
A1 = imread('peppers.png'); %read the image peppers.png  
imshow(A1); %display the image  
A = rgb2gray(A1); %Convert to grayscale  
A = double(A); %convert the type of data to double
```

3. Extra-credit: Accelerate the speed for solving the following matrix completion problem using the randomized SVD techniques:

$$\min_{X \in \mathbb{R}^{m \times n}} \frac{1}{2} \sum_{(i,j) \in \Omega} (X_{ij} - M_{ij})^2 + \mu \|X\|_*$$